

Electronic Solutions
Design & Manufacture



Straight Integration Kiosk - 22" - Product Code;FABK22INT



	FE/	ATURES		
Position	Floor standing			
Screen angle (°)	10-60 deg			
Tablet / Screen Size	21.5			
Swivel	355 deg			
Format	Portrait	1	Landscape	1
Colours	White	✓	Black	1

CONTRACTOR OF THE PARTY OF THE	
USB Hub	√
Camera	V
Barcode Scanner	✓
NFC / RFID Reader	√
Payment device	✓
Biometric Reader	✓
Swipe Card Reader	1
Label Printer	✓
Receipt Printer	V

BRANDING C	
Bezel	✓
Header Panel	✓
Back Board	×
Front Panel	V

PACKAGING			
Weight	?	?	
Туре		– cardboard eve	
Size	?	?	


Counter/ wall Podium: starting from circa 35kg


The enclosures are made from glass filled polycarbonate and the Podium bodies are made from powder coated steel.





Straight Integration Kiosk - 22"






	Metric (mm, kg)	Imperial (in, lb)
Height	1504	59 3/16
ADA Height*	1304	51 5/16

*200mm (7 7/8in) shorter than standard kiosks

Width	591	23 1/4
Depth	425	16 3/4
Weight*		

*Excluding devices











Header Panel



Graphic Panel

Bezel Branding	ART-BEZ-L22
Header Panel ISO	ART-HP-LOXO22
Front Panel - Branding	ART-SIK-990x420

			CAMERA LOGITECH BRIO ULTRA
Camera	KAA331	Logitech	HD PRO BUSINESS
			CAMERA LOGITECH C930E
Camera	KAA168	Logitech	WEBCAM 1080P HD BLACK
			SCANNER BARCODE ZEBRA
	KAA240-		SE3307 PL3307 WA 2D KEYBOARD
Barcode Scanner	02	Zebra	WEDGE
			SCANNER BARCODE DATALOGIC
Barcode Scanner	KAA049	Datalogic	GRYPHON GFS4470 2D USB A RED
			CARD READER NFC ACS
NFC	KAA003	ACS	ACM1252U-Z2 R/W PCB USB
			BIOMETRIC FINGERPRINT
	KAA036-		SCANNER U ARE U 4500 OEM &
Biometric Reader	01	U are U	USB CABLE
			CARD READER MSR MAGTEK TK1
Magnetic Swipe	KAA108-		MINI KEYBOARD USB BLACK
Reader	В	Magtek	21040108





Electronic Solutions
Design & Manufacture



Octab Range – 3566 – Tablets housed with Kiosks



Highly reliable professional tablets for deploying Android. Designed for 24/7 Commercial use. Compact & rugged. Touchscreen as standard. Also available with no touch.








24 Hour Commercial Use



Capacitive Touchscreen







Wifi Enabled



Enrol & provision via QR code enabled



SERIES







Octab Range - 3566

Overview

Low cost, highly reliable professional tablets for deploying Android. Designed for 24/7 Commercial use. Compact & rugged. Touchscreen as standard. Also available with no touch.

Markets

Our Android tablets are designed to address retail and commercial sector applications unmatched by consumer tablets – robust, highly reliable and in an unbeatable range of sizes. They cater for both simple and more complex apps

Benefits

- Compact & rugged. Rockchip 3566
- Highly reliable, designed for 24/7 commercial use
- Auto-on
- Smaller screen sizes available
- Available for customisation and economical for larger production

Key Features



Android



Capacitive Touchscreen



Fully compliant with Zoho Assist unattended



24 Hour Commercial Use



Enrol & provision via OR code enabled







Specification

Octab 21.5" - OCTAB215P-T-4	O_{i}
-----------------------------	---------


Product Details		73.
	Product Code	OCTAB215P-T-4
Screen size		
	Screen Size	21.5"
Panel		
	Resolution	1920x1080
	Aspect Ratio	16:9
	Viewing Angle	89x89x89x89
	Active Area	474.64x268.11
	Brightness	250-600
	Contrast	3000:1
ouch		
	Touch Technology	Capactive Touch (G+G optional)
	Touch Points	10
	Touch Forms	10
lardware & OS		
	СРИ	Rockchip 3566
	RAM	2GB 16GB
	Storage	Android version 11
	OS	Android version 11
lower		
ower	Power Consumption	36
	Power Requirement	12V 3A
	Power Jack	USB Host 3.0
`		
Connections	USB Device	Yes
	USB Device	
	USB Host	2.1mm
	HDMI	HDMI Output
	Wifi	WiFi 2.4 GHz 802.11b/g/n (optional 5GHz 802.11a)
	Ethernet	No
	Bluetooth	Bluetooth 4.0
	3G dongle	3G USB dongle ext.
	Card Slot	SD,Support up to 32GB
	Earphone	3.5mm earphone
∕ledia		
	Video Format	WMV, AVI, FLV, RM, RMBV, MPEG, TS, MP4, etc. RK3288: support up to 1080p
	Image Format	BMP, JPEG, PNG, GIF
	Audio Format	MP3/WMA/AAC
Optional		
	Camera	2.0M/P Front
		·
ccessories	•	
	Included In Box	Power Supply
		,
General Informa	tion	
	Speakers	2x 3W
	Colour	Black
	Language	Multi-language
	Working Temperature	0-50 degrees
	Unit Size (LxWxHmm)	539.11x332.21x39.75
	Package Size (LxWxHmm)	582x430x89
	Vesa Mounting (mm)	100x100
	Unit Weight (kg)	2.84
	Package Weight (kg)	3.75
	i acrage Arcibiit (vg)	3.73







SERIES

Octab 21.5" - OCTAB215P-T-4









^{*}Specifications are typical and subject to change.