# **A**SERIES

Electronic Solutions
Design & Manufacture



# **AVX461 Professional Player**







With its high performance Rockchip RK3399 processor for computing, mobile internet devices and other smart devices and other smart devices supporting up to 2160p60 and has a host of commercial features.

## **Key Features**





**4K** 

2160p60



24 Hour Commercial Use



**SERIES** 

Specifications









#### Overview

With its high performance Rockchip RK3399 processor for computing, mobile internet devices and other smart devices and other smart devices supporting up to 2160p60 and has a host of commercial features.

#### Markets

Commercial devices, IOT. In-store AV product demos; high quality public information distribution for display & exhibitions; delivery of safety and help information in public environment

#### Benefits

- Supports Android and Linux
- Commercial grade
- Cost-effective simple play and control features at a price to support volume deployment
- Compatible with a range of our own and 3<sup>rd</sup> party accessories
- Customisable mass customization options
- Internal 16GB memory or from memory device
- Auto boot auto play on power on

## **Key Features**



Android



Linux



24 Hour Commercial Use



2160p60





Specifications

| Product Details |             |  |
|-----------------|-------------|--|
| Product Code    | AVx 461     |  |
| SKU             | 11004079101 |  |

| Display Information |                      |  |
|---------------------|----------------------|--|
| Max Resolution      | 3840x2160            |  |
| Display Rotation    | Landscape & Portrait |  |

| Hardware & OS     |  |  |
|-------------------|--|--|
|                   | Hi3798CV200 Quad-core 64-bit high-performance ARM Cortex A53 |  |
| CPU               | with NEON  |  |
| RAM               | 2GB  |  |
| Storage           | 16GB   |  |
| OS                | Android / Linux  |  |
| Graphics Hardware | Mail-T864  |  |
| Software          | AD player / Customer APK                                     |  |
| Integrated MCU    | Yes, 4 Buttons   |  |

| <b>Operation</b> |   |  |
|------------------|---|--|
|                  | 1x 2.0 HDMI for Audio and Video; 1x 3.5mm Stereo, RJ45                    |  |
| Ports            | 10M/100M/1000M, 1 x USB . 1 x USB 3.0, 1 x USBC                           |  |
| Video Format     | AVI, MKV(XVID/px/H.264), MOV, TS, M2TS, RM, RMV8, FLV, 3GP, MPEG, DA, MP4 |  |
| Audio Format     | MP3, WMA, AAC FAC   |  |
| Remote Control   | Yes with infrared   |  |
| Auto-start play  | Yes   |  |

| General Information |                            |  |
|---------------------|----------------------------|--|
| Power Supply        | 12V 2A                     |  |
| Housing             | Robust powder-coated metal |  |
|                     |                            |  |
| Unit Size (LxWxHmm) | 191 x 96 x 20              |  |
| Unit Weight (kg)    | 0.47                       |  |



**SERIES** 

Specifications





## **Expansion Options**

## Overview

The AVX260, AVX430 & AVX461 can be all be expanded to enable further interactivity.


## **Markets**

Commercial devices, IOT. In-store AV product demos; high quality public information distribution for display & exhibitions; delivery of safety and help information in public environment

## **Benefits**

- Button Expansion up to 10 buttons. Bespoke options on request
- 3G/4G mobile connectivity

## **Key Features**



3G & 4G

Connectivity

