

AD SERIES

Electronic Solutions
Design & Manufacture



AVX461 Professional Player



With its high performance Rockchip RK3399 processor for computing, mobile internet devices and other smart devices and other smart devices supporting up to 2160p60 and has a host of commercial features.

Key Features



Android




Linux
Linux

4K

2160p60



24 Hour
Commercial Use



+44(0)870 005 5520

UK Head Office: Unit 49 Eldon Way,
Paddock Wood, Kent, TN12 6BE

eva2@adseries.com



OEM available



AVX461 Professional Player

Overview

With its high performance Rockchip RK3399 processor for computing, mobile internet devices and other smart devices and other smart devices supporting up to 2160p60 and has a host of commercial features.

Markets

Commercial devices, IOT. In-store AV product demos; high quality public information distribution for display & exhibitions; delivery of safety and help information in public environment


Benefits

- Supports Android and Linux
- Commercial grade
- Cost-effective – simple play and control features at a price to support volume deployment
- Compatible with a range of our own and 3rd party accessories
- Customisable – mass customization options
- Internal 16GB memory or from memory device
- Auto boot auto play on power on

Key Features



Android




Linux™

Linux

24 Hour
Commercial Use

4K

2160p60



+44(0)870 005 5520

UK Head Office: Unit 49 Eldon Way,
Paddock Wood, Kent, TN12 6BE

eva2@adseries.com

AVX461 – Standard Housing Version

Product Details	
Product Code	AVx 461
SKU	11004079101
Display Information	
Max Resolution	3840x2160
Display Rotation	Landscape & Portrait
Hardware & OS	
CPU	Hi3798CV200 Quad-core 64-bit high-performance ARM Cortex A53 with NEON
RAM	2GB
Storage	16GB
OS	Android / Linux
Graphics Hardware	Mali-T864
Software	AD player / Customer APK
Integrated MCU	Yes, 4 Buttons
Operation	
Ports	1x 2.0 HDMI for Audio and Video; 1x 3.5mm Stereo, RJ45 10M/100M/1000M, 1 x USB . 1 x USB 3.0, 1 x USB-C
Video Format	AVI, MKV(XVID/px/H.264), MOV, TS, M2TS, RM, RMV8, FLV, 3GP, MPEG, DA, MP4
Audio Format	MP3, WMA, AAC FAC
Remote Control	Yes with infrared
Auto-start play	Yes
General Information	
Power Supply	12V 2A
Housing	Robust powder-coated metal
Unit Size (LxWxHmm)	170 (191 fixing flanges) x 96 x 20
Unit Weight (kg)	0.47





Expansion Options – AVX461

Overview



The AVX461 can be all expanded to enable further interactivity.

Markets

Commercial devices, IOT. In-store AV product demos; high quality public information distribution for display & exhibitions; delivery of safety and help information in public environment

* We provide a range of default commercial APKs with the players or can be used with own / 3rd party apks/

Key Features



Chipset	Model	Unit Size (LxWxHmm)	Enhanced supported	Mobile data module / Sim (MD)	4 Inputs + Optical Audio Out (E01)	10 Inputs + serial connection options (E02)
RK3399	AVx461-MD	170 (191 fixing flanges) x 96 x 39	Y	Integrated Mobile module for relevant contry/s		
	AVx461-MD-E01			Integrated Mobile module for relevant contry/s	Illuminated button / sensor support, optical audio output with demo product keep awake options.	
	AVx461-MD-E02			Integrated Mobile module for relevant contry/s		Illuminated button / sensor support, powered Serial interface, offboard MCU structured control processing.
	AVx461-E01				Illuminated button / sensor support, optical audio output with demo product keep awake options.	
	AVx461-E02					Illuminated button / sensor support, powered Serial interface, offboard MCU structured control processing.

